



Sughrue

SUGHRUE MION ZINN MACPEAK & SEAS, PLLC

J. Frank Osha
T (202) 663-7915
fosha@sughrue.com

BOX PATENT APPLICATION
Commissioner for Patents
Washington, D.C. 20231

May 8, 2001

JC986 U.S. PTO
09/849974
05/08/01

2100 Pennsylvania Avenue, NW
Washington, DC 20037-3213

T 202.293.7060
F 202.293.7860

1010 El Camino Real

Menlo Park, CA 94025-4345

T 650.325.5800

F 650.325.6606

Toei Nishi Shimbashi Bldg. 4F
13-5 Nishi Shimbashi 1-Chome
Minato-Ku, Tokyo 105-0003
Japan

T 03.3503.3760

F 03.3503.3756

www.sughrue.com

Re: Application of Teruo MATSUI and Keisuke ODA
TRANSMITTING-RECEIVING STATION FOR RADIO WAVE DIVERSITY
INSIDE BUILDING
Our Ref. Q64407

Dear Sir:

Attached hereto is the application identified above including 13 sheets of the specification, including the claims and abstract, 5 sheets of drawings, and a copy of the executed Declaration and Power of Attorney. The Assignment will be filed at a later date.

The Government filing fee is calculated as follows:


Total claims	7	- 20	=	x	\$18.00	=	
Independent claims	2	- 3	=	x	\$80.00	=	
Base Fee							\$710.00
TOTAL FEE							\$710.00

A check for the statutory filing fee of \$710.00 is attached. You are also directed and authorized to charge or credit any difference or overpayment to Deposit Account No. 19-4880. The Commissioner is hereby authorized to charge any fees under 37 C.F.R. §§ 1.16 and 1.17 and any petitions for extension of time under 37 C.F.R. § 1.136 which may be required during the entire pendency of the application to Deposit Account No. 19-4880. A duplicate copy of this transmittal letter is attached.

Priority is claimed from May 9, 2000 based on Japanese Application No. 135769/2000. The priority document will be filed at a later date.

Respectfully submitted,
SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC
Attorneys for Applicant

By:


J. Frank Osha
Registration No. 24,625